

AMENDMENTS

IN THE CLAIMS

1. (Currently Amended) A system ~~System~~ comprising a first device, an RF device, a second device, and a server for triggering a first device and logging the triggering, the system comprising a RF chip ~~of under control of~~ a first party, the first device comprising communication means for receiving a RF signal from the RF chip, the first device further comprising communication means for communicating with a network or server of a second party, wherein

the first device comprises means to start communicating with the network or server ~~only~~ after receiving the RF signal,

the first device comprises means for sending an enabling ID to the RF chip,

the RF chip comprises means for receiving the ID, ~~and~~

the RF chip comprises a memory for storing the ID,

the RF chip comprises means for reading the ID from the memory and transmitting the ID to the second device; and

the second device configured to cause the first party to be financially compensated for the network communications of the first device triggered by the RF chip based on the received ID.

2. (Canceled)

3. (Currently Amended) ~~The system~~ System according to claim [[2]] 1, wherein the RF chip and the second device are physically connectable.

4. (Currently Amended) ~~The system~~ System according to claim [[2]] 1, wherein the RF chip and the second device are wirelessly connectable.

5. (Currently Amended) ~~The system~~ System according to claim [[2]] 1, wherein the RF chip comprises means to clear the memory after sending the ID.

6. (Currently Amended) ~~The system~~ System according to claim [[2]] 1, wherein billing information is created based on the ID received ~~in~~ by the second device.

7. (Currently Amended) A system ~~System~~ comprising a first device, an RF device, a second device, and a server for triggering a first device and logging the triggering, the system comprising a RF chip under control of a first party, the first device comprising communication means for receiving a RF signal from the RF chip, the first device further comprising communication means for communicating with a network or server of a second party, wherein the first device comprises means to start communicating with the network or server ~~only~~ after receiving the RF signal,

the RF chip comprises means for sending an enabling ID to the first device, ~~and~~

the first device comprises means for receiving the ID and for transmitting the ID to the second device, and

the second device configured to cause the first party to be financially compensated for the network communications of the first device triggered by the RF chip based on the received ID.

8. (Currently Amended) The system ~~System~~ according to claim 7, wherein the first device comprises a memory for storing the ID and the first device comprises means for reading the ID from the memory and sending the ID to ~~[[a]]~~ the second device.

9. (Currently Amended) The system ~~System~~ according to claim 8, wherein the first device comprises means to clear the memory after sending the ID to the second device.

10. (Canceled)

11. (Currently Amended) The system ~~System~~ according to claim 7, wherein billing information is created based on the ID received ~~in~~ by the second device.

12. (Currently Amended) A method ~~Method~~ for triggering a first device, ~~and logging the triggering, and compensating a party for the triggering,~~ the method comprising the steps of:

receiving in the first device a RF signal from a RF chip under control of a first party,

the first device starting communicating with a network or server of a second party ~~only~~

after receiving the RF signal,

sending an enabling ID from the first device to the RF chip,

receiving the ID in the RF chip, ~~and~~

storing the ID in a memory of the RF chip,

reading the ID from the memory of the RF chip and transmitting the ID to a second device, and.

the second device causing the first party to be financially compensated for the network communications of the first device triggered by the RF chip based on the received ID.

13. (Canceled)

14. (Currently Amended) ~~The method Method~~ according to claim ~~[[13]]~~ 12, wherein ~~sending~~ the ID is sent from the RF chip to the second device via a physical connection.

15. (Currently Amended) ~~The method Method~~ according to claim ~~[[13]]~~ 12, wherein ~~sending~~ the ID is sent from the RF chip to the second device via a wireless connection.

16. (Currently Amended) ~~The method Method~~ according to claim [[13]] 12, wherein the method further comprises the step of clearing the memory after sending the ID.

17. (Currently Amended) ~~The method Method~~ according to claim [[13]] 12, wherein the method further comprises the step of creating billing information based on the ID received in the second device.

18. (Currently Amended) ~~A method Method~~ for triggering a first device, ~~and logging the triggering, and compensating a party for the triggering,~~ the method comprising the steps of receiving in the first device a RF signal from a RF chip under control of a first party, the first device starting communicating with a network or server of a second party ~~only~~ after receiving the RF signal, sending an enabling ID from the RF chip to the first device, and receiving the ID in the first device and sending the ID to the second device, and the second device causing the first party to be financially compensated for the network communications of the first device triggered by the RF chip based on the received ID.

19. (Currently Amended) The method ~~Method~~ according to claim 18, wherein the method further comprises the steps of storing the ID in a memory of the first device, reading the ID from the memory, and sending the ID to [[a]] the second device.

20. (Currently Amended) The method ~~Method~~ according to claim 19, wherein the method further comprises the step of clearing the memory after sending the ID.

21. (Canceled)

22. (Currently Amended) The method ~~Method~~ according to claim 18, wherein the method further comprises the step of creating billing information based on the ID received ~~in~~ by the second device.